Southern California TRACON and SAN ATCT





Presented To: San Diego Mayor Kevin Faulconer November 16, 2015



PRESENTERS

Barry Davis

Air Traffic Manager
Southern California TRACON

Rick Savage

Air Traffic Manager

San Diego International Airport


Ron Cagle

Airspace and Procedures Support Manager

Southern California TRACON



Example of One (1) Days Jet Flight Tracks –





SOUTHERN CALIFORNIA TRACON


SCT is a consolidation of 5 of the FAA's high activity TRACONs, and Palm Springs TRACON.


These 6 TRACONS have formed SCT's current 6 Areas:

BURBANK TRACON	BURBANK AREA
LOS ANGELES TRACON	ARRIVALS AREA
LOS ANGELES/COAST TRACONS	DEL REY AREA
ONTARIO TRACON	EMPIRE AREA
COAST TRACON	COAST AREA
SAN DIEGO TRACON	SAN DIEGO AREA

SCT airspace covers an area ranging from the Mexican border to a point just south of Santa Barbara, and from a point west of Santa Catalina Island to a point east of Thermal (TRM).









STANDARD OPERATING PROCEDURES

11-13-2. SECTOR SPECIFIC DUTIES AND RESPONSIBILITIES

- **b.** Departures
- (1) Runway 27. Unless required for separation purposes, SAN turbojet departures must not be vectored off the initial route until one and one half (1 ½) miles west of the shoreline. Additionally, aircraft routed south and east bound must be vectored to pass over or south of Fort Rosecrans. These restrictions are represented on the radar video map as a series of dots.
- **(2)** Runway 9/27.
- (a) Unless required for separation purposes, SAN turbojet departures must not be vectored off the initial route until west of the shoreline. Additionally, aircraft routed south and east bound must be vectored to pass over or south of Fort Rosecrans. These restrictions are represented on the radar video map as a series of dots.



SCT/SANT LOA

(8) Between the hours of 2200 and 0630 local, departures normally assigned a 275 degree heading shall be assigned a 290-degree heading for vectors to the next fix. Departures normally assigned a BORDER / POGGI SID shall be assigned a 290-degree heading for vectors to the BORDER / POGGI SID.

Missed Approach's

- 1. Aircraft on a published instrument approach (for either runway), issue the published missed approach.
- 2. Aircraft on a visual approach:
 - a. Runway 27: Heading 275, maintain 2500 feet.
 - b. Runway 9: Heading 090, maintain 4000 feet.
- 3. Runway 27: Heading 250/Maintain 2500 ft. MSL. Tower may assign this heading prior to coordination with TRACON. Tower shall coordinate as soon as practical with TRACON if this heading is assigned.



NOISE ABATEMENT PROCEDURES


Controller Briefings

Periodically SCT re-briefs the controller workforce on noise abatement procedures.

The San Diego Area received a briefing on the San Diego Lindbergh noise abatement procedures outlined in the SCT SOP and SCT/SANT LOA on **OCT 14, 2015**








POGGI FIVE

BORDER SEVEN



Point Loma



POGGI SID Review (Jet Only)

Feb 1 – 7

June 15 - 21

Sept 20 – 26


Nov 24 - 30


2010, 2011, 2012, 2013, 2014, 2015




Year	All SAN Arrival	All SAN Departures	POGGI Departures
2010	73288	73113	39981
2011	75708	75986	41564
2012	80529	80576	41103
2013	90197	89792	40829
2014	92761	91764	41172
2015	77418	78835	36394
Grand Total	489901	490066	241043


SAN Traffic Counts








































































•SAN During 9-27 operations

•1/19/2011 6:30-11:00PDT





SAN During normal operations

•1/19/2011 15:30-20:00PDT








•SAN During 9-27 operations

•3/17/2011 6:30-11:00PDT








SAN During normal operations


•3/17/2011 15:30-20:00PDT














THANK YOU QUESTIONS?

