


BMP SC09	BUILDING AND GROUNDS MAINTENANCE	
PURPOSE: Prevent or reduce the discharge of pollutants to storm water from building and grounds maintenance by washing and cleaning up with as little water as possible, preventing and cleaning up spills immediately, keeping debris from entering storm drains, and maintaining the storm water collection system.		TARGETED ACTIVITIES: → Building Maintenance → Grounds Maintenance
POLLUTION PREVENTION:		POLLUTANTS of CONCERN:
	<p>Implement the following pollution prevention practices and BMPs to prevent discharges of pollutants from building and grounds maintenance to the storm water collection system:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Regularly clean paved surfaces that are exposed to industrial activity. Use “dry” cleaning techniques, such as sweeping, whenever possible. <input type="checkbox"/> Clean any catch basins that receive runoff from maintenance areas on a regular basis. Use a vacuum truck to remove accumulated materials. Do not flush wastes into the storm drain system. <input type="checkbox"/> Minimize use of pesticides, herbicides, and fertilizers and use according to directions. Seek less harmful/toxic products to replace ones currently used. <input type="checkbox"/> Reduce the exposure of galvanized metal structures to rainfall. Possible actions to reduce exposure include; application of a coating of inert paint to the metal surface, replace uncoated galvanized metal fence with vinyl coated galvanized steel or polyester coated galvanized steel. <input type="checkbox"/> Investigate the use of downspout filters on roof downspouts to minimize pollutants in roof runoff. <input type="checkbox"/> Use safer non-toxic products for the outside painting of buildings and grounds maintenance. Recycle residual paints, solvents, lumber, and other materials (such as landscape waste) as much as possible. <input type="checkbox"/> Reduce the exposure of galvanized metal structures to rainfall, by using coated galvanized structures or coating or painting existing structures with non-toxic paints or coatings. <input type="checkbox"/> Encourage proper xeriscaping management and landscaping, including the use of native vegetation, to reduce irrigation needs. <input type="checkbox"/> When applying pesticides, use the following practices: Do not use pesticides if rain is expected or is occurring, do not mix or prepare pesticides for application near storm drains, and apply pesticides only when wind speed is low. 	→ Pesticides/Herbicides/ Fertilizers → Oil and Grease → Sediment → Landscape Waste → Metals → Cleaning Solutions
OPERATIONS:		APPLICABLE TENANTS/ DEPARTMENTS:
Sub-BMPs - 01 <input type="checkbox"/>	Landscape, re-vegetate, or install erosion and sediment controls in areas of exposed soil.	→ Allied → ARFF → Flagship
- 02 <input type="checkbox"/>	Use hand weeding when practical.	


<p>- 03 <input type="checkbox"/></p> <p>- 04 <input type="checkbox"/></p> <p>- 05 <input type="checkbox"/></p> <p>- 06 <input type="checkbox"/></p> <p>- 07 <input type="checkbox"/></p>	<p>Implement integrated pest management methods, minimize the use of pesticides, herbicides, and fertilizers and use according to directions.</p> <p>Use temporary BMPs such as portable booms and vacuum trucks to contain water from outdoor building or structure washdown activities. Use reclaimed water, where possible, and collect and properly dispose of all waste water through a permitted connection to the sanitary sewer.</p> <p>Compost or recycle grass trimmings, leaves, sticks, or other collected vegetation, where possible, or dispose of appropriately.</p> <p>Remove temporary stockpiled materials at the end of the day or place away from watercourses and drainage inlets, and berm and cover stockpiles to prevent material releases to the storm drain.</p> <p>Clean pavement or sidewalk (using dry methods or reclaimed water) of any residual materials or spills before applying irrigation water, and capture and properly dispose of any wash water.</p> <p style="text-align: center;">SEE ALSO BMP SC12</p>	<p>➔ Landmark</p> <p>➔ SDCRAA</p>
<p>STRUCTURAL TREATMENT BMPs: Refer to BMP TC01 for information on structural treatment BMPs.</p>		
<p>BMP FREQUENCIES/EQUIPMENT/TOOLS: Building and grounds maintenance occurs on a daily basis. Equipment/tools to implement BMPs include portable booms, vacuum trucks, tarps, and fiber rolls.</p>		
<p>AUTHORIZED BUILDING AND GROUNDS MAINTENANCE LOCATIONS:</p>		
<p><input type="checkbox"/></p>	<p>To implement BMPs for the prevention of discharges or pollutants from buildings and grounds maintenance, perform maintenance activities within the designated areas as shown in the attached map.</p>	
<p>Date:</p>		<p>Version: 2.0</p>

	Building	Tenant Gate Areas	
	Airport Boundary	Tenant	Gate
	ACE	ARFF	N0
		Landmark Aviation	N4



Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

PROJECT:	5013-11-0003
DATE:	6/16/2015
DRAWN BY:	KMB
CHECKED BY:	AJA



SAN DIEGO INTERNATIONAL AIRPORT
San Diego, California

STORM WATER MANAGEMENT PLAN
AT SAN DIEGO INTERNATIONAL AIRPORT

Intentionally Left Blank