Appendix B – Best Management Practices

| BMP SC13  | FIRE FIGHTING FOAM DISCHARGE  |  |
|---|---|--|
| PURPOSE:  To prevent the discharge of pollutants to storm water associated with flushing or testing of firefighting foam. |   | TARGETED ACTIVITIES:  → Fire Fighting Foam Testing |
| POLLUTION PREVENTION:   |   | POLLUTANTS of CONCERN:                             |
|   | Implement the following pollution prevention practices and BMPs to prevent discharges of pollutants from firefighting foam testing entering the storm water collection system:  | → Aircraft Fire Fighting Foam (AFFF)               |
|   | Preform firefighting foam testing during dry weather and in designated areas only.  |  |
|   | Before performing firefighting foam testing, block off all storm drain inlets within the designated testing area.   |  |
|   | All discharges should be collected and disposed of properly.  |  |
|   | DO NOT DISCHARGE AFFF OR WASTEWATER TO A CATCH BASIN OR STORM DRAIN. Notify Airport Operations (619-400-2710) and the Airport Authority Planning & Environmental Affairs Department (619-400-2784) if any discharges of AFFF have occurred. |  |
| OPERATIONS:   |   | APPLICABLE TENANTS/                                |
| Sub-BMPs<br>- 01  | Do not perform firefighting foam testing directly in the path of storm drains.  | DEPARTMENTS:  → ARFF → Menzies Fuel Farm           |
| - 02 🗌  | Inspect and test firefighting equipment on a regular basis.   | vicinzies i uci i ami                              |
| - 03 🗌  | Perform firefighting foam testing ONLY in a designated area that captures or divers all foam waste to a structural treatment control, sanitary sewer, or dead end sump with pump.   |  |
| - 04 🗌  | Service sump(s) and/or oil/water separators on a regular basis.   |  |
| - 05 🗌  | Prevent all designated testing areas from contacting storm water<br>run on and run-off or from reaching storm drains (e.g. by the use<br>of berms and sandbags).  |  |
| <b>STRUCTURAL TREATMENT BMPs:</b> Refer to BMP TC01 for information on structural treatment BMPs.                         |   |  |
| <b>BMP FREQUENCIES/EQUIPMENT/TOOLS:</b> Firefighting operation frequencies and tools are described in Section 3.0.        |   |  |
| AUTHORIZED LOCATIONS FOR FIRE FIGHTING FOAM TESTING:  |   |  |
|   | Use only the designated areas for firefighting foam testing as shown in the attached map.   |  |
| Date:   |   | Version: 2.0                                       |

Appendix B - Best Management Practices

Intentionally Left Blank

