## **Southwest Airlines**

| SIC<br>Codes            | 4512, 4522               | Contact Information      |                           |
|-------------------------|--------------------------|--------------------------|---------------------------|
| Primary<br>Activity     | Passenger Carrier        | Debbie Ripa              | Manager - Station         |
| Drainage<br>Areas       | 07, 15, 6, 8             | <b>P</b> (619) 610-5560  | <b>C</b> (775) 815-5984   |
| Nearest<br>MS4<br>Inlet | < 200 ft.                | debbie.ripa@wnco.com     |                           |
| Address                 | 3665 North Harbor Dr. T1 | Lindsie Schultz          | Assistant Station Manager |
|                         | San Diego, CA 92101      |                          |                           |
|                         |                          | Lindsie.Schultz@wnco.com |                           |

## **Facility Description and Activities**

- 1. Most ground support equipment and vehicle maintenance (including painting) is conducted inside the Maintenance Shop at the ASB. Some minor vehicle and ground support equipment maintenance is performed on ramp by Southwest maintenance.
- 2. Menzies fuels aircraft, vehicles, and ground support equipment.
- 3. There is a hose at the hose bib near Gate 9. It is used only to fill up containers for watering plants in the office.
- 4. Potable water is allowed to run for 1 minute then turned off and linked to aircraft. This is performed as far away from the storm drains as possible, and the water evaporates before reaching storm drain.
- 5. Southwest has spill bins at the ASB and at Gates 10, 13, and 15. These bins contain absorbents, brooms, shovels, and disposal drums.
- 6. Exterior aircraft cleaning is performed offsite (Phoenix, Oakland, and Dallas).
- 7. Significant materials are stored in flammable materials storage lockers.
- 8. Wastes are stored in Hazardous Waste Accumulation Areas in the gate area and inside the ASB Maintenance Shop.
- 9. Hazardous wastes are picked up every 3 months. Safety Kleen recycles oil, antifreeze, all other hazardous wastes.
- 10. ABM Services, performs cabin services for Southwest and other airlines.
- 11. Southwest operates at Gates 5-16, 19, and ASB/Cargo #1 and #7. Gates 17 and 18 are shared but only used for emergencies.
- 12. Southwest performs deicing at the gates. At Gates 5, 9, and 10 they push back from the gate to get past the storm drains. Air Operations is notified every time deicing is performed. Monthly usage is sent to EAD. A zamboni is used to vacuum up the excess liquid that falls onto the ramp and is disposed of. Deicing is not performed in the rain. All deicing mixing is conducted at the triturator. Deicing fluid is stored at Gate 10.
- 13. Siemens operates and maintains all baggage claim, conveyor belt areas, and jet bridges.
- 14. Gate 19 is used for storage of oxygen and nitrogen cylinders as well as aircraft maintenance materials. Materials are kept here and then brought elsewhere for maintenance. Most aircraft maintenance is performed at the gate where the plane is parked.

## Significant Materials/Activities Potentially Exposed to Storm Water

| Potential Pollutant Sources | Potential Pollutants      |
|-----------------------------|---------------------------|
| Aircraft deicing            | Anti Freeze               |
| Aircraft sanitary services  | Battery Acid              |
| Cargo handling              | Carburetor Cleaner        |
| Equipment storage           | Cleaning Solutions        |
| Fluid leaks                 | Deicing/Anti-Icing Fluids |
| Fuel spills, Fuel transfer  | Food Waste                |
| Material loading/unloading  | Fuel                      |
| Outdoor waste storage       | Hydraulic Fluids          |
| Potable water flushing      | Lavatory Chemicals        |
| Tank fuel transfer          | Lavatory Wastes           |
|                             |                           |

| Trash collection | Lubricants |
|------------------|------------|
|                  |            |

Metals
Oil & Grease
Paints
Recyclables

Transmission Fluid

Trash

Solvents

## **Best Management Practices Applicable to Facility**

| Activities                                       | <u>BMPs</u>                                |
|--|--|
| Non-Storm Water Management                       | SC01 - 1, 2, 3, 4, 7                       |
| Outdoor Equipment Ops Maintenance Areas          | SC02A - 1, 2                               |
| Aircraft, Ground Vehicle & Equipment Maintenance | SC02B - 1, 4, 5, 6, 8, 9, 10, 11, 12, 13   |
| Electric Vehicle Maintenance                     | SC02C - 1, 2, 3, 4, 5, 6, 7, 8, 9          |
| Aircraft, Ground Vehicle & Equipment Fueling     | SC03 - 1, 2, 4, 5, 6, 8                    |
| Aircraft, Ground Vehicle & Equipment Cleaning    | SC04 - 1, 2                                |
| Aircraft Deicing/Anti-Icing                      | SC05 - 1, 2, 3, 4                          |
| Outdoor Loading/Unloading of Materials           | SC06 - 1, 2, 3, 4, 5, 6, 7                 |
| Outdoor Material Storage                         | SC07 - 1, 2, 3, 7, 11, 12, 13              |
| Waste Handling & Disposal                        | SC08 - 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 14 |
| Building & Ground Maintenance                    | SC09 - 9                                   |
| Employee Training                                | SC10 - 1, 2, 3, 4                          |
| Lavatory Service Operation                       | SC11 - 3, 4, 5, 6, 7, 8, 9, 10, 11         |
| Outdoor Wash down/Sweeping                       | SC12 - 2, 12                               |
| Potable Water System Flushing                    | SC14 - 1, 2, 3                             |
| Housekeeping                                     | SC18 - 1, 2, 3, 4, 5, 6, 7, 8, 9           |
| Safer/Alternative Products                       | SC19 - 1, 2                                |
| Spill Prevention, Control & Clean Up             | SR01 - 1, 2, 3, 4, 5, 6, 7, 9              |

<sup>\*</sup> Appendix B provides descriptions for each BMP category.

